





Approved Supplier for the NSW Government, under the Office Furniture Scheme SCM0771.



NOVO series


workstations

Contents.

NOVO Series Workstations.

	Specifications	p.3 - p.6
	NOVO Frame (Tech) configurations	p.7 - p.11
	NOVO a-Frame (Tech) configurations	p.12 - p.16
	NOVO Max configurations	p.17 - p.19
	Options	p.20 - p.28
Finishe	s.	
	Boards - Group 1	p.29 - p.31
	Powder Coat Range	p.32
	Screen Fabric - Suzette	p.33 - p.34
	Screen Fabric - Trilogy 1	p.35 - p.36
	Ecoustic	p.37
Watts	Commercial Furniture Policies.	
	Environmental Policy	p.38
	Quality Policy	p.39

workstations



AFFORDABLE

MULTI SOLUTION

WORKSTATIONS

The NOVO series provide wide range options to individual, shared and collaborative. It gives end-user different levels of flexibility to suit the every-changing and growing office.

GENERAL SPECIFICATIONS

	Standard	Standard	Height range	Leg	Standard corner	Range		
	length	depth		styles	desk size	rectangular desk	90° desk	120° desk
NOVO Frame			Fixed 720mm	Straight		Yes	Yes	
NOVO Frame Tech 1200 / 1500 / 1800 / 1800 / 2100 mm		600 / 750 / 900 mm	610 - 760mm (25mm increments)	Straight	Range (1pc) 1500 x 1500 - 1800 x 2100 mm Range (2pc) 1500 x 1500 - 2100 x 2100 mm	Yes	Yes	
			Fixed 720mm	Angled		Yes	Yes	
			610 - 760mm (25mm increments)	Angled		Yes	Yes	
NOVO Max			Fixed 720mm	Straight		Yes	Yes	Yes


^{*} DEFAULT FRAME COLOUR: POWDER COAT RANGE - STANDARD



GENERAL FRAME STRUCTURE




STANDARD WORKTOPS




WORKTOPS CORNER FINISH OPTIONS

Standard worktops can be specified 25mm(Standard) or 33mm thick with square or rounded corners (50mm / 100mm radius).








EXCESS CABLES - CUTOUT

Excess cables can be taken off the desk with a cutout, a cable port or a cable brush. Must be specified with the worksurface



EXCESS CABLES - CABLE BRUSH / CABLE FLAPS


Excess cables can be taken off the desk with a cutout, a cable port or a cable brush. Must be specified with the worksurface

......



Standard Cable Brush

Must be specified with the worksurface



Standard Cable Flaps


Must be specified with the worksurface




EXCESS CABLES - STANDARD 60MM CABLE PORT

Excess cables can be taken off the desk with a cutout, a cable port or a cable brush. Must be specified with the worksurface









Rectangular Desk (600 Deep)

Without Modesty - Location D, E, F With Modesty - Location D, E, F






Rectangular Desk (750 - 900 Deep)

Without Modesty - Location A, B, C With Modesty - Location D, E, F





NOVO FRAME / Tech


workstations

desk layouts - novo frame / novo frame (tech)




RECTANGULAR DESK







RECTANGULAR DESK 2 WAY BACK TO BACK





RECTANGULAR DESK 2 WAY SIDE BY SIDE







desk layouts - novo frame / novo frame (tech)




RECTANGULAR DESK 4 WAY BACK TO BACK







90° CORNER DESK





90° CORNER DESK 2-WAY T LAYOUT








desk layouts - novo frame / novo frame (tech)























desk layouts - novo frame / novo frame (tech)



90° CORNER DESK 4-WAY CROSS LAYOUT








NOVO FRAME

Client: University of Western Sydney

Location: Kingswood






NOVO a-FRAME / Tech

desk layouts - novo a-frame / novo a-frame (tech)





RECTANGULAR DESK







RECTANGULAR DESK 2-WAY BACK TO BACK





RECTANGULAR DESK 2-WAY SIDE BY SIDE







desk layouts - novo a-frame / novo a-frame (tech)




RECTANGULAR DESK 4-WAY BACK TO BACK







90° CORNER DESK





90° CORNER DESK 2-WAY T LAYOUT








desk layouts - novo a-frame / novo a-frame (tech)





90° CORNER DESK 2-WAY U LAYOUT
















desk layouts - novo a-frame / novo a-frame (tech)



90° CORNER DESK 4-WAY CROSS LAYOUT















NOVO a-FRAME (tech)


Client: Family & Community Services

Location: Ashfield



NOVO MAX

Fixed Height 720 mm




NOVO Max


workstations

desk layouts - novo max





RECTANGULAR DESK 2-WAY BACK TO BACK







RECTANGULAR DESK 4-WAY BACK TO BACK





90° CORNER DESK **4-WAY CROSS LAYOUT**








desk layouts - novo max




120° 3-WAY WORKSTATION








NOVO MAX - 120° WORKSTATIONS Waverley City Council



NOVO MAX WORKSTATIONS University of New South Wales Canberra




NOVO MAX 6-WAY WORKSTATIONS eHealth Parramatta

Watts.




System 50 Screen 50mm thick


SYSTEM 50 CABLE MANAGEMENT



Power through Power blade, pole or umbilical to ceiling



Power from wall mounted starter sockets to cable trays




Power from duct mounted starter sockets to cable trays



System 75 Screen 75mm thick

SYSTEM 75 CABLE MANAGEMENT



Power through Power blade, pole or umbilical to ceiling



Power from wall through wall start into screen ducting





Power from ducted skirting through wall start into screen ducting



SYSTEM 50/75 SCREEN WITH NOVO Frame, NOVO Frame (tech)


Max. height FFL1500. Min. height FFL900.






SYSTEM 50/75 SCREEN WITH NOVO aFrame, NOVO aFrame (tech)


FFL1500. Max. height FFL900. Min. height






SYSTEM 50/75 SCREEN WITH NOVO Max


Max. height FFL1300. Min. height FFL900.








PANEL HUNG SHELF (HORIZONTAL ADJUSTMENT)



Panel Hung Shelf D-END (Aluminium)

Standard Size 600W x 290D x 190H 900W x 290D x 190H



Panel Hung Shelf D-END (Melamine)

Standard Size 600W x 290D x 190H 900W x 290D x 190H



Panel Hung Shelf Wire-END (Aluminium)


Standard Size 600W x 300D x 300H 900W x 300D x 300H



Panel Hung Shelf Wire-END (Melamine)


Standard Size 600W x 300D x 300H 900W x 300D x 300H

PANEL HUNG SHELF (VERTICAL ADJUSTMENT)



Panel Hung Shelf D-END (Aluminium)

Standard Size 600W x 290D x 190H 900W x 290D x 190H



Panel Hung Shelf D-END (Melamine)

Standard Size 600W x 290D x 190H 900W x 290D x 190H


SHELF DIVIDER



Shelf Divider (Aluminium)

Standard Size 270D x 175H


WALL HUNG SHELF



Panel Hung Shelf D-END (Aluminium)

Standard Size


600W x 290D x 190H 900W x 290D x 190H



Panel Hung Shelf D-END (Melamine)


Standard Size 600W x 290D x 190H 900W x 290D x 190H

CLAMP-ON ACCESSORIES



Clamp on Shelf

Standard Size 600W x 300D x 100H 325mm above benchtop



Clamp on Planter Box

Standard Size 600W x 200D x 175H 75mm above benchtop



MOBILE STORAGE UNITS (MELAMINE)




MD5 470W x 570D x 510H



MD6 470W x 570D x 510H



MD7 470W x 570D x 650H




MD8 470W x 570D x 690H




MD9 470W x 570D x 650H



MD10 470W x 570D x 600H



МСТ3 900W x 570D x 600H



МСТ4 900W x 570D x 600H




MC1 900W x 570D x 600H




MC2 900W x 570D x 600H


MOBILE STORAGE UNITS (METAL)




MM1 390W x 520D x 600H



MN1 300W x 520D x 600H




MMC1 900W x 500D x 610H




MMC2 900W x 500D x 610H




ABOVE DESK POWER / DATA



IN-DESK POWER / DATA



IN-DESK SINGLE LID POWER BOX



WIRELESS CHARGING



options



UMBILICAL (CMS CIRQLATE)



SPECIFICATIONS

Cirqlate size: 72 x 15mm

770 / 2100 / 2800mm Standard length: Standard colour options: Black, Silver, Clear, White

Special colour options: Aqua, Light Green, Dark Green, Dark Blue, (Min. quantities apply) Light Blue, Orange, Pink, Yellow and Dark Red


CABLE BASKETS



SPECIFICATIONS

650 / 950 / 1250 / 1550 / 1750 / 2050mm Single tier, 100mm wide: Dual tier, 100mm wide: 650 / 950 / 1250 / 1550 / 1750 / 2050mm

MONITOR ARMS (FLO)



SPECIFICATIONS

Monitor weight range: Max. 9kg per arm

Tilt range: 48.5° upwards, 48.5° downwards 570mm for desk clamp versions Horizontal range:


Vertical range: 341mm

Colour: silver, white and black VESA 75 & 100 compliant Monitor head:

Fixing options: 1. Split clamp

> 2. Dual split clamp 3. Through desk kit

MONITOR ARMS (C.ME)



SPECIFICATIONS

Max. 8kg per arm Monitor weight range:

Post height (standard): 430mm 330mm Adjustment range: Post height (long): 740mm 695mm Adjustment range: Horizontal range: 445mm


Colour: white, polished and black

Monitor head: VESA compliant

options



FEATURE RAIL



SPECIFICATIONS


Height: 24.5mm Width: 40mm Planter box Accessories: Storage box

Divider screen Melamine shelf

Finishes Brushed aluminium (Standard)

Powder coated (Special request)

PLANTER BOX (FEATURE RAIL MOUNT)



SPECIFICATIONS

600 / 900 / 1200mm Standard width:

Standard depth: 200mm Standard height: 175mm

Solid / Perforated Style: Colour: White (standard) Colour options: Powder Coat Range

DIVIDER SCREEN (FEATURE RAIL MOUNT)



SPECIFICATIONS


Standard width: 600 / 900 / 1200mm Standard height: 300 / 400 / 500mm Material options: 1. Perspex Panel (8mm) 2. Ecoustic Panel (12mm)

3. Ecoustic Panel Dual Layer (24mm)

4. Laminate Panel (16mm) 5. Fabric Panel (16mm)

6. Fabric Panel Dual Layer (32mm)

STORAGE BOX (FEATURE RAIL MOUNT)



SPECIFICATIONS

Standard width: 600 / 900mm Standard height: 350mm Material: Melamine


Style options: 1. Open storage box (without back panel)

2. Semi-open storage box (with back panel)

options



MELAMINE SHELF (FEATURE RAIL MOUNT)




SPECIFICATIONS

Standard width: 600 / 900 / 1200mm

Standard depth: 300mm

Colour options: Please refer Finishes - Boards - Group 1

DIVIDER SCREEN (SLIDE ON)




SPECIFICATIONS

850W / 900W / 950W Standard width: Standard height: 300H /400H / 480H Material options: 1. Ecoustic Panel (24mm)

> 2. Melamine Panel (25 / 32mm) 3. Fabric Wrapped Panel (40mm)

ENVY SCREEN (DESK MOUNT)



SPECIFICATIONS

1. Ecoustic Panel (12mm) Material options:

> 2. Ecoustic Panel Dual Layer (24mm) 3. Fabric Wrapped Ecoustic Panel (35mm)

Single Panel	Standard Width	Standard Height	
Rectangular	600mm - 2750mm	400 500	
Angled	900mm - 2750mm	490mm - 590mm	

Single Curved / Straight Corner Panel (12mm only)

Rectangular	1200mm - 2750mm	490mm - 590mm
Angled	1200mm - 2750mm	470111111 - 370111111

Dual Curved / Straight Corner Panel (12mm only)

Rectangular	1800mm - 2750mm	490mm - 590mm	
Angled	2000mm - 2750mm	470111111 - 370111111	

options



CPU HOLDER (CPU60)




SPECIFICATIONS

Max. weight capacity: 10kg

Min. CPU size:270mm x 75mmMax. CPU size:370mm x 200mmColour options:White, Silver & White

CPU HOLDER (THIN CLIENT)



SPECIFICATIONS

Max. weight capacity: 12kg

Thickness range: 38mm - 67mm
Min. width: 274mm
Max. height: 255mm
Colour options: Black

CPU HOLDER (LOOP)



SPECIFICATIONS


Max. weight capacity: 20kg

Min. CPU size: 275mm x 90mm

Max. CPU size: 550mm x 225mm

Colour options: Black

KEYBOARD LOZENGE (METAL)



SPECIFICATIONS

Overall size: 600W x 200D (mm)

Min. worktop thickness: 25mm

Max. worktop thickness: 33mm

Colour options: Powder Coat Range


Finishes - Boards - Group 1 (Laminex).

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Solids



Patterns



Finishes - Boards - Group 1 (Laminex).


Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Woodgrains



Finishes - Boards - Group 1 (Polytec).

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.



Powder Coat Range.

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Standard



Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Suzette



Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Suzette



Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Trilogy I



Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Trilogy I



Finishes - Ecoustic.

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Pure

12mm Thick



Ash

Stone

Graphite

Nero

WATTS COMMERCIAL FURNITURE AND THE ENVIRONMENT

Watts Commercial Furniture (WCF) manufactures a wide range of high quality commercial furniture for Government departments (Commonwealth, State and Local) and corporate organisations. WCF is a one stop shop where we design, manufacture and install all of our systems and products.

We conduct our business with due concern and protection of the natural environment which includes biodiversity and ecosystems. Our Environmental Policy is a statement of commitment from Management and reflects the values and ethos of the company.

It is our intention to maintain a sustainable, environmentally responsible business which respects the quality of the environment and uses resources efficiently.

To that end, we are committed to:

- Complying with environmental laws and regulation.
- Complying with AFRDI Green Tick Certification.
- Understanding market expectations and industry trends.
- Consideration of environmental issues in business strategies and initiatives
- Reducing pollution.
- Recycling and material minimization whenever possible.
- Implementing energy efficient practices.
- Setting environmental objectives.
- Creating an awareness of environmental issues through ongoing education and training.
- Promoting sustainability awareness within our supply chain.
- Taking a life cycle approach for product design, manufacturer and end of life.
- Striving for continual improvement to enhance environmental performance.

Our company's commitment extends to operating in accordance with the International standard's ISO 14001: 2015 (EMS).

PAT LETO

Chief Executive Officer 01 April 2019



QUALITY COMMITMENT

Watts Commercial Furniture (WCF) manufactures and supplies a wide range of high quality commercial furniture to Government Departments and Corporate Organisations. WCF is a one stop shop where we design, manufacture and install all of our systems and products.

All members of the organisation are actively involved in the process of continuous improvement, which is monitored against measureable objectives. We do this by ensuring the implementation and ongoing improvement of an Integrated Management System of processes and procedures to reduce risk, exploit opportunities, in the company's commitment to meeting its customer needs and expectations.

Our quality objectives include striving for continual improvement in our systems, products and services through on-going staff training and development; seeking and responding to customer feedback; and through providing a world's best practice safe working environment.

We also constantly seek advancement by ensuring the implementation and ongoing improvement of a Management System of processes and procedures that serve to reduce risk and exploit opportunities. Through our Quality Management System conforming to ISO 9001:2015, we constantly seek to improve the quality of our products and services, in line with evolving management considerations and requirements.

We also seek to preserve our well-earned reputation for providing high levels of service to our customers, coupled with optimum quality products, at competitive prices and market leading minimal lead times. WCF also provides our customers with value added support and backup that they can depend on.

PAT LETO

25

Chief Executive Officer 01 April 2019





Watts Commercial Furniture 350a Edgar St Bankstown NSW 2200

p: 02 9771 3966 f: 02 9771 6824

sales.watts@wcf.com.au accounts.watts@wcf.com.au

www.wcf.com.au

Watts Commercial Furniture reserves the right to change any or all details without prior notice. Every effort has been made to ensure the information is accurate at the time of printing.

March 2020