



Approved Supplier for the NSW Government, under the Office Furniture Scheme SCM0771.



OMEGA FRAME

workstations

Features

- Solid steel frame construction
- Wide range of powder coated frame colour options
- Optional Feature Rail (accessories mounting rail)
- Designed & Manufactured in Australia
- Wide range of tabletop colour options
- Other sizes / configurations available on request




Contents

OMEGA Frame Workstation.

Specifications	p.4
Options	p.5 - p.11
Finishes.	
Boards - Group 1	p.12 - p.14
Boards - Veneer Range	p.15
Powder Coat Range	p.16
Screen Fabric - Suzette	p.17 - p.18
Screen Fabric - Trilogy	p.19 - p.20
Ecoustic	p.21
Policies.	
Environmental Policy	p.22
Quality Policy	p.23






The OMEGA frame workstation provide worksurfaces in a wide range of sizes and finishes. The Feature rail puts all of your accessories within an arms reach. Monitor arms, paper trays, or dividing screens can be mounted along the Feature rail to suit your preference.


Power and data access is solved with cleverly hidden underbench cable management to keep your workstation neat and tidy. Access to power and data can be achieved through the floor, or through power blades poles or umbilicals to the ceiling.





General Specifications









Standard length (ZONE1): Standard length (ZONE2): Standard depth: Standard worktop thickness: 1200 - 2000mm 350 - 450mm 1400 - 1800mm 25mm

FEATURE RAIL

COLLABORATIVE END

2 WAY WORKSTATION






4 WAY WORKSTATION





EDGE OPTIONS






options

Watts

FEATURE RAIL



SPECIFICATIONS

Height: Width: Accessories:

Finishes

SPECIFICATIONS

Standard width:

Standard depth:


Standard height:

Colour options:


Style: Colour:

24.5mm 40mm Planter box Storage box Divider screen Melamine shelf Brushed aluminium (Standard) Powder coated (Special request)

PLANTER BOX (FEATURE RAIL MOUNT)



DIVIDER SCREEN (FEATURE RAIL MOUNT)




SPECIFICATIONS

Standard width: Standard height: Material options: 600 / 900 / 1200mm 200mm 175mm Solid / Perforated White (standard) Powder Coat Range

600 / 900 / 1200mm 300 / 400 / 500mm 1. Perspex Panel (8mm) 2. Ecoustic Panel (12mm) 3. Ecoustic Panel Dual Layer (24mm) 4. Laminate Panel (16mm) 5. Fabric Panel (16mm)

6. Fabric Panel Dual Layer (32mm)

STORAGE BOX (FEATURE RAIL MOUNT)



SPECIFICATIONS

Standard width: Standard height: Material: Style options:

600 / 900mm 350mm Melamine 1. Open storage box (without back panel) 2. Semi-open storage box (with back panel)


P • 6 | wcf.com.au | * OTHER SIZES / CONFIGURATIONS AVAILABLE. CALL 02 9771 3966 FOR FURTHER INFORMATION.



options

Watts

MELAMINE SHELF (FEATURE RAIL MOUNT)




SPECIFICATIONS

Standard width: Standard depth: Colour options:

600 / 900 / 1200mm 300mm Please refer Finishes - Boards - Group 1

DIVIDER SCREEN (SLIDE ON)



STRAIGHT Fits desk thickness 25 / 33mm only

ANGLED Fits desk thickness 25 / 33mm only

SPECIFICATIONS

Standard width: Standard height: Material options:

SPECIFICATIONS

Material options:


850W / 900W / 950W 300H /400H / 480H 1. Ecoustic Panel (24mm) 2. Melamine Panel (25 / 32mm) 3. Fabric Wrapped Panel (40mm)

1. Ecoustic Panel (12mm)

2. Ecoustic Panel Dual Layer (24mm)

3. Fabric Wrapped Ecoustic Panel (35mm)

ENVY SCREEN (DESK MOUNT)



Single Panel

Rectangular

Single Curved Corner Panel Rectangular

Dual Corner Panel Rectangular

Single Straight Corner Panel Rectangular

Dual Straight Corner Panel Rectangular

Single Panel Angled

Single Panel Standard Width Standard Height 600mm - 2750mm Rectangular 490mm - 590mm 900mm - 2750mm Angled Single Curved / Straight Corner Panel (12mm only) Rectangular 1200mm - 2750mm 490mm - 590mm Angled 1200mm - 2750mm Dual Curved / Straight Corner Panel (12mm only) Rectangular 1800mm - 2750mm 490mm - 590mm

2000mm - 2750mm

* OTHER SIZES / CONFIGURATIONS AVAILABLE. CALL 02 9771 3966 FOR FURTHER INFORMATION. | wcf.com.au | P • 7

Angled





MOBILE STORAGE UNITS (MELAMINE)



MD5



470W x 570D x 510H



MD7




MD8 470W x 570D x 690H

MD9 470W x 570D x 650H





MD6



_

470W x 570D x 650H



_____ _ -----

MD10 470W x 570D x 600H

470W x 570D x 510H

МСТ3 900W x 570D x 600H

MCT4 900W x 570D x 600H

MC1 900W x 570D x 600H




900W x 570D x 600H

MOBILE STORAGE UNITS (METAL)



MM1

MN1 390W x 520D x 600H 300W x 520D x 600H



MMC1 900W x 500D x 610H

MMC2

900W x 500D x 610H



Watts.


CPU HOLDER (CPU60)



SPECIFICATIONS

Max. weight capacity: Min. CPU size: Max. CPU size: Colour options: 10kg 270mm x 75mm 370mm x 200mm White, Silver & White

CPU HOLDER (THIN CLIENT)



SPECIFICATIONS

Max. weight capacity: Thickness range: Min. width: Max. height: Colour options: 12kg 38mm - 67mm 274mm 255mm Black

CPU HOLDER (LOOP)




SPECIFICATIONS

Max. weight capacity: Min. CPU size: Max. CPU size: Colour options: 20kg 275mm x 90mm 550mm x 225mm Black






ABOVE DESK POWER / DATA



IN-DESK DUAL LID POWER BOX

.



CMS Accede

CMS Accede

CMS Executive

CMS Executive



Watts.

UMBILICAL (CMS CIRQLATE)



SPECIFICATIONS

Cirqlate size: Standard length: Standard colour options: Special colour options: (Min. quantities apply) 72 x 15mm 770 / 2100 / 2800mm Black, Silver, Clear, White Aqua, Light Green, Dark Green, Dark Blue, Light Blue, Orange, Pink, Yellow and Dark Red


CABLE BASKETS




SPECIFICATIONS

Single tier, 100mm wide: Dual tier, 100mm wide: 650 / 950 / 1250 / 1550 / 1750 / 2050mm 650 / 950 / 1250 / 1550 / 1750 / 2050mm

MONITOR ARMS (FLO)



MONITOR ARMS (C.ME)



SPECIFICATIONS

Monitor weight range: Tilt range: Horizontal range: Vertical range: Colour: Monitor head: Fixing options:

Max. 9kg per arm 48.5° upwards, 48.5° downwards 570mm for desk clamp versions 341mm silver, white and black VESA 75 & 100 compliant 1. Split clamp 2. Dual split clamp 3. Through desk kit

SPECIFICATIONS

Monitor weight range: Post height (standard): Adjustment range: Post height (long): Adjustment range: Horizontal range: Colour: Monitor head: Max. 8kg per arm 430mm 330mm 740mm 695mm 445mm white, polished and black VESA compliant

Finishes - Boards - Group 1 (Laminex).

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.



Tornado


Fossil

Patterns



Zincworks

New Graphite



Ironstone

Finishes - Boards - Group 1 (Laminex).

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Woodgrains Dansk Maple Milkwood Seasoned Oak Raw Birchply Curly Birch Select Beech Elegant Oak Sublime Teak Classic Oak Young Beech Rural Oak Alaskan Oyster Linea Fox Teakwood Lustrous Elm Natural Walnut Milano Walnut Jarrrah Legno

Finishes - Boards - Group 1 (Polytec).

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.



Marni Lini


Soft Walnut

Maison Oak

Natural Oak

Finishes - Boards - Veneer Range.

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.




 2mm LVE edging (standard)
 Waterfall solid timber edging

 Bull nose solid timber edging
 Sharknose solid timber edging

 Tasman solid timber edging
 Other edge profiles also available. Please contact us for further information.

Powder Coat Range.

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.



Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Suzette

Limone	Splice	Pistachio	Mint	Celery
Decor	Citrus	Opal	Lucerne	Hula
Humbug	Joker	Mainsail	Luxury	Olympia
Cyan	Tiffany	Aero	Iris	Dolphin
Twist	Heaven	Conquest	Octane	Blizzard
		1		

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Suzette



Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

```
Glacier
                      Polar
                                                                   Bluebell
                                                                                         Jade
                                            lcecap
                      Ink
                                            Cobalt
                                                                   Indigo
                                                                                         Emerald
Teal
Hydra
                      Oxide
                                            Smoke
                                                                   Midnight
                                                                                         Ocean
                                                                   Barley
Stone
                      Banana
                                            Putty
                                                                                         Chrome
Daffodil
                      Gold
                                                                   Sage
                                            Lime
                                                                                         Forest
```

Trilogy I

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

Trilogy I Paw Paw Sienna Flame Wine Loden Cherry Tangerine Chocolate Black Henna Lavender Aubergine Charcoal Battleship Dove





P•20 | wcf.com.au | * OTHER SIZES / CONFIGURATIONS AVAILABLE. CALL 02 9771 3966 FOR FURTHER INFORMATION.

Finishes - Ecoustic.

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.


12mm Thick





Iris

24mm Thick



Pure

Stone

Nero

WATTS COMMERCIAL FURNITURE AND THE ENVIRONMENT

Watts Commercial Furniture (WCF) manufactures a wide range of high quality commercial furniture for Government departments (Commonwealth, State and Local) and corporate organisations. WCF is a one stop shop where we design, manufacture and install all of our systems and products.

We conduct our business with due concern and protection of the natural environment which includes biodiversity and ecosystems. Our Environmental Policy is a statement of commitment from Management and reflects the values and ethos of the company.

It is our intention to maintain a sustainable, environmentally responsible business which respects the quality of the environment and uses resources efficiently.

To that end, we are committed to:

- Complying with environmental laws and regulation.
- Complying with AFRDI Green Tick Certification.
- Understanding market expectations and industry trends.
- Consideration of environmental issues in business strategies and initiatives
- Reducing pollution.
- Recycling and material minimization whenever possible.
- Implementing energy efficient practices.
- Setting environmental objectives.
- Creating an awareness of environmental issues through ongoing education and training.
- Promoting sustainability awareness within our supply chain.
- Taking a life cycle approach for product design, manufacturer and end of life.
- Striving for continual improvement to enhance environmental performance.

Our company's commitment extends to operating in accordance with the International standard's ISO 14001: 2015 (EMS).

PAT LETO



Chief Executive Officer 01 April 2019

QUALITY COMMITMENT

Watts Commercial Furniture (WCF) manufactures and supplies a wide range of high quality commercial furniture to Government Departments and Corporate Organisations. WCF is a one stop shop where we design, manufacture and install all of our systems and products.

All members of the organisation are actively involved in the process of continuous improvement, which is monitored against measureable objectives. We do this by ensuring the implementation and ongoing improvement of an Integrated Management System of processes and procedures to reduce risk, exploit opportunities, in the company's commitment to meeting its customer needs and expectations.

Our quality objectives include striving for continual improvement in our systems, products and services through on-going staff training and development; seeking and responding to customer feedback; and through providing a world's best practice safe working environment.

We also constantly seek advancement by ensuring the implementation and ongoing improvement of a Management System of processes and procedures that serve to reduce risk and exploit opportunities. Through our Quality Management System conforming to ISO 9001:2015, we constantly seek to improve the quality of our products and services, in line with evolving management considerations and requirements.

We also seek to preserve our well-earned reputation for providing high levels of service to our customers, coupled with optimum quality products, at competitive prices and market leading minimal lead times. WCF also provides our customers with value added support and backup that they can depend on.

PAT LETO



Chief Executive Officer 01 April 2019



Watts Commercial Furniture 350a Edgar St Bankstown NSW 2200

p: 02 9771 3966 f: 02 9771 6824

sales.watts@wcf.com.au accounts.watts@wcf.com.au

www.wcf.com.au

Watts Commercial Furniture reserves the right to change any or all details without prior notice. Every effort has been made to ensure the information is accurate at the time of printing.

March 2020