





Approved Supplier for the NSW Government, under the Office Furniture Scheme SCM0771.

Finishes - Wool.

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

at work* with Camira - Blazer



Watts Commercial Furniture

350a Edgar St Bankstown NSW 2200 PO Box 275 Condell Park 2200 ABN: 54 064 557 893 p: 02 9771 3966 wcf.com.au sales.watts@wcf.com.au accounts.watts@wcf.com.au Watts Commercial Furniture reserves the right to change any or all details without prior notice. Every effort has been made to ensure the information is accurate at the time of printing.

September 2022



Finishes - Wool.

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

at work* with Camira - Blazer



Watts Commercial Furniture

350a Edgar St Bankstown NSW 2200 PO Box 275 Condell Park 2200 ABN: 54 064 557 893 p: 02 9771 3966 wcf.com.au sales.watts@wcf.com.au accounts.watts@wcf.com.au Watts Commercial Furniture reserves the right to change any or all details without prior notice. Every effort has been made to ensure the information is accurate at the time of printing.

September 2022



Finishes - Wool.

Please refer to a physical sample. Colours are for an indicative reference only. Actual colour and finish may vary slightly.

at work* with Camira - Blazer



350a Edgar St Bankstown NSW 2200 PO Box 275 Condell Park 2200 ABN: 54 064 557 893



at work* with Camira - Blazer.

Specifications

(ISO 105-X12)

Ignitability (0-20) Spread of Flame (0-10)

Heat Involved (0-10)

Smoke Developed (0-10)

Flammability AS/NZS 1530.3

Specifications	
Composition	100% Virgin Wool
Pattern Match	No
Pattern Repeat (cm)	No
Railroaded	~
Width (cm)	140
Roll Size (approx)	
Weight (gsm)	430
Origin	Made in New Zealand
Stain Repellent	No
Fabric Care Label	Care Code 9 - Wool
Guarantee	5 Years in accordance with fabric manufacturer's product type and care instructions
Test Results	
Martindale (ISO 12947, 12kPA)	50,000 Rubs
Colourfastness to Light (ISO 105-B02)	5
Colourfastness to Rubbing	Dry 4, Wet 4

8

0

0

3